



013BS Backlite Base Stand

H 9cm **W** 1kg **Fold** 60cm
 3.5" 2.2lbs 23.6"

max 15kg **T** T
 33lbs

Fold away steel backlite base stand with KS-017 which is 16mm stud with 3/8" and 1/4" thread. Designed for mounting lighting fixture close to the floor or table.



013 Folding Base Mini Stand

L 48cm **H** 85cm **W** 1.3kg
 18.9" 33.46" 2.87lbs

Fold 60cm **max** 3kg **T** T
 23.6" 6.6lbs

Fold away back steel base and aluminum collars with 5/8" socket and KS-017. Universal 16mm light stud. Extension pole from 48cm to 80cm w/5/8" fixing top. Provide flexible mounting of lights from floor level to nearly 85 cm high. Fold flat for easy carry and storage



033 Low Mini Kit Stand

L 40cm **H** 129cm **W** 0.75kg
 15.75" 50.8" 1.65lbs

Fold 45cm **max** 1.5kg **T** T
 17.8" 3.3lbs

3 risers, 4 sections.
 Dia.: 1" , 7/8" , 3/4" , 5/8"
 Leg dia.: 5/8"
 Aluminum material
 With KS-052, adapter for female thread 3/8" -16 to male 1/4" -20.
 Designed for background lights.



055 Handy Stand

L 49cm **H** 227cm **W** 1.1kg
 19.2" 89.3" 2.4lbs

Fold 102cm **max** 2.5kg **T** T
 40.1" 5.5lbs

4 risers, 5 sections.
 Dia.: 1-1/8" , 1" , 7/8" , 3/4" , 5/8"
 Solid flat legs: 15mm x 5mm
 Aluminum material
 with KS-052, adapter for female thread 3/8" -16 to male 1/4" -20. Perfect for small lighting fixture on location and lightweight compact design makes it ideal for kits.

023 Midi Pro Stand
023AC Midi Pro Stand w/Air Cushion

L 86cm 33.9" **H** 250cm 98.4" **W** 1.3kg 2.87lbs

max 109cm 42.9" **max** 5kg 11lbs **T** T

C KC-064R

2 risers, 3 sections.
 Dia.: 1-1/8", 1", 7/8"
 Leg dia.: 3/4"
 Aluminum material



034 Mini Kit Stand
034-J Japanese Type

L 66cm 26" **H** 236cm 93" **W** 1kg 2.2lbs

max 90cm 35.4" **max** 4kg 8.8lbs **T** T / SJ

3 risers, 4 sections.
 Dia.: 1", 7/8", 3/4", 5/8"
 Leg dia.: 5/8"
 Aluminum material

045 Medium Stand

L 95cm 37.4" **H** 445cm 175.2" **W** 1.5kg 3.3lbs

max 109cm 42.9" **max** 1kg 2.2lbs **T** T

C KC-064R

4 risers, 5 sections.
 Dia.: 1-1/8", 1", 7/8", 3/4", 5/8"
 Leg dia.: 3/4"
 Load: variable with height,
 maximum load 1kg at full extended.
 Aluminum material

198 Universal Stand
198AC w/Air Cushion
198-J Japanese Type

L 107cm 42.1" **H** 385cm 151.6" **W** 2.3kg 5lbs

max 110cm 43.3" **max** 9kg 19.8lbs **T** A

C KC-080R

3 risers, 4 sections.
 Dia.: 35mm, 30mm, 25mm, 20mm
 Leg dia.: 22mm
 Aluminum material

KS-028
 Stand Leg Rubber Top
 For Leg dia.: 22mm
 Set of 3




195 Baby Kit Stand

L 107cm 42.1" **H** 385cm 151.6" **W** 2.3kg 5lbs

max 110cm 43.3" **max** 9kg 19.8lbs **T** A

C KC-080R

3 risers, 4 sections.
 Dia.: 35mm, 30mm, 25mm, 20mm
 Leg dia.: 22mm
 Aluminum material
 Welding stand top

195S Baby Kit Stand W/ Square Tubular Legs

L 124cm 48.9" **H** 400cm 157.5" **W** 4.5kg 9.9lbs

max 112cm 44.1" **max** 9kg 19.8lbs **T** A

C KC-080S

3 risers, 4 sections.
 Dia.: 35mm,30mm, 25mm, 20mm
 Leg size.: 22mm x 22mm
 Aluminum material
 With 1 leveling leg
 Welding stand top



355 Universal floor stand

L 35.1cm
12.4"
H 13cm
max 5.12"
W 1.05kg
2.31lbs
max 60cm
23.6"
max 10kg
22lbs

Low profile, lightweight compact folding floor stand. Constructed of anodized aluminum legs and central column With die-casting legs mount. Designed for a 28mm spigot, or a 19 mm spigot with supplied adaptor.



The detachable adaptor



May stand alone with legs folded



169M Class Stand

L 101cm
39.8"
H 290cm
max 114.2"
W 2.05kg
4.5lbs
max 109cm
42.9"
max 10kg
22lbs
T S
C KC-080R

2 risers, 3 sections.
Dia.: 35mm, 30mm, 25mm
Leg dia.: 22mm
Aluminum material
w/KS-017 Universal 16mm
light stud.



175M Shorty Stand

L 70cm
27.6"
H 213cm
max 83.9"
W 2.3kg
5lbs
max 68.6cm
27"
max 9kg
19.8lbs
T S
C KC-080R

3 risers, 4 sections.
Dia.: 35mm, 30mm, 25mm, 20mm
Leg dia.: 22mm
Aluminum material
w/KS-017 Universal 16mm
light stud.